JAN 2 9 2002



ATTORNEY DOCKET NO.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Nallur et al.

Serial No.: 09/910,383

Confirmation No.: 2312

Filed: July 20, 2001

For: "GENE EXPRESSION PROFILING"

Group Art Unit: 1645

Examiner: Unassigned

INFORMATION DISCLOSURE STATEMENT

Commissioner for Patents Washington, D.C. 20231

NEEDLE & ROSENBERG, P.C. Suite 1200, The Candler Building 127 Peachtree Street, N.E. Atlanta, Georgia 30303-1811

January 17, 2002

Sir:

Pursuant to the requirements of 37 C.F.R. § 1.56, submitted herewith on the accompanying form PTO 1449 is a listing of documents known to the applicants and/or their attorneys. Copies of these documents are enclosed.

Consideration of the cited documents and making the same of record in the prosecution of the above-noted application are respectfully requested.

ATTORNEY DOCKET NO. 13172.0007U1 SERIAL NO. 09/910,383

Applicant believes that this Information Disclosure Statement is being filed in accordance with 37 C.F.R. § 1.97(b)(3), i.e., before the mailing date of the first Office action on the merits. Therefore, no fee is believed to be due. However, if a fee is required, the Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. 14-0629.

Respectfully submitted,

NEEDLE & ROSENBERG, P.C.

Robert A. Hodges

Registration No. 41,074

Suite 1200, The Candler Building 127 Peachtree Street, N.E. Atlanta, Georgia 30303-1811 404/688-0770

| CERT | IFIC | CATE | OF. | MAIL | ING |
|------|------|------|-----|------|-----|
| | | | | | |

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, Washington, D.C. 20231, on the date listed below.

Robert A. Hodges

Date

17/2002



ATTORNEY DOCKET NO 13172.00070 SERIAL PG- 09/910,365 CONFIRMATION NO. 23 2

Form PTO-1449 U.S. DEPARTMENT OF COMMERCE (Rev. 7-80)
PATENT AND TRADEMARK OFFICE ATTORNEY DOCKET NO.: 13172.0007U1

SERIAL NO.

LIST OF INFORMATION CITED BY APPLICANT (Use several sheets if necessary)

APPLICANT: Nallur

GROUP: 1645 FILING DATE: July 20, 2001

| | | | | U.S. PATENT DOCUMENTS | , | | |
|----------------------|---|-------------------------------------|--------------------------|---|-----------------|-------------------|----------------------------------|
| EXAMINER INITIALS | | DOCUMENT NO. | DATE | NAME | CLASS | SUBCLASS | FILING DATE IF APPROPRIATE |
| | A1 | 6,143,495 | 11/07/00 | Lizardi et al. | | | |
| | A2 | 5,854,033 | 12/29/98 | Lizardi | | | |
| | A3 | 5,719,262 | 02/17/98 | Buchardt et al. | | | |
| | A4 | 5,714,331 | 02/03/98 | Buchardt et al. | | | |
| | A5 | 5,561,255 | 10/01/96 | Sassmannshausen et al. | | | |
| | A6 | 5,539,082 | 07/23/96 | Neilsen et al. | | | |
| - | A7 | 5,516,134 | 05/14/96 | Crawford et al. | | | |
| | A8 | 5,489,667 | 02/06/96 | Knipf et al. | | | |
| | A9 | 5,476,427 | 12/19/95 | Fujima | | | |
| | A10 | 5,451,203 | 09/19/95 | Lamb | | | |
| | A11 | 5,367,069 | 11/22/94 | Beck et al. | | | |
| | A12 | 5,264,567 | 11/23/93 | Numata et al. | | | |
| | A13 | 5,198,543 | 03/30/93 | Blanco et al. | | | |
| | A14 | 5,001,050 | 03/19/91 | Blanco et al. | | | |
| | A15 | 4,476,301 | 10/09/84 | Imbach et al. | | | |
| | A16 | 2,264,423 | 08/29/39 | Wingenroth | | | |
| | - 5 A - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - | | FC | DREIGN PATENT DOCUMENTS | | | - |
| | A17 | WO 97/19193 | [*] 05/29/97 | Lizardi et al. (PCT) | | | |
| | A18 | EP 0439182 B1 | 07/31/91 | Beckman et al.(EP) | | · | |
| | | OTHER | INFORMATION | (Including Author, Title, Date, Pertiner | nt Pages, Etc | ;.) | |
| | A19 | Abravaya et al. De 682 (1995) | etection of point | mutations with a modified ligase chain re | action (Gap-L | -CR). Nucl. Acia | ls Res. 23(4):675- |
| | A20 | Arnold et al. Assa | y Formats Invol | ving Acridinium-Ester-Labeled DNA Prob | es. Clin. Che | em. 35:(8)1588- | 1594 (1989) |
| | A21 | Barany. Genetic 88:189-193 (1991 | | on and DNA Amplification Using Cloned T | hermostable | Ligase. Proc. N | latl. Acad. Sci. USA |
| | A22 | Birkenmeyer et al | . DNA Probe An | nplification Methods. J. Virol. Meth. 35:11 | 7-126 (1991) |) | |
| | A23 | Boehmer et al. H | erpes Simplex V | irus Type 1 ICP8: Helix-Destabilizing Pro | perties. J. Vii | rol. 67(2):711-71 | 5 (1993) |
| - | A24 | Bonnet et al. The 96(11):6171-6176 | rmodynamic bas (1999) | is of the enhanced specificity of structure | ed DNA probe | es. Proc. Natl. A | cad. Sci. USA |



ATTORNEY DOCKET NO 23172.0007111
SERIAL NO. 09/910 009
CONFIRM 27 ON 10. 2312

Z Page 2 (6 9

| PATENTS | <u> </u> |
|---------|---|
| A25 | |
| A26 | Chatterjee et al. Cloning and Overexpression of the Gene Encoding Bateriophage T5 DNA Polymerase. 97:13-1 (1991) |
| A27 | Crooke et al. Antisense Research and Applications. CRC Press 16:290-301 (1993) |
| A28 | Crooke et al. Pharmacokinetic Properties of Several Novel Oligonucleotide Analogs in mice. <i>J. Pharmacol. Exp. Ther.</i> 277:923-937 (1996) |
| A29 | Davanloo et al. Cloning and expression of the gene for bacteriophage T7 RNA polymerase. <i>Proc. Natl. Acad. Sci. USA</i> . 81:2035-2039 (1984) |
| A30 | Englisch et al. Chemically Modified Oligonucleotides as Probes and Inhibitors. <i>Angewandte Chemie</i> , International Edition in English 30(6):613-629 (1991) |
| A31 | Ernst et al., "Cyanine dye labeling reagents for sulfhydryl groups," Cytometry, 10:3-10 (1989) |
| A32 | Fire et al. Rolling Replication of Short DNA Circles. Proc Natl. Acad. Sci. USA 92:4641-4645 (1995) |
| A33 | Guo et al., "Direct Fluorescence Analysis of Genetic Polymorphisms by Hybridization with Oligonucleotide Arrays on Glass Supports" Nucl. Acids Res. 22(24:)5456-5465 (1994) |
| A34 | Hoeltke et al. Multiple Nucleic Acid Labeling and Rainbow Detection. Anal. Biochem. 207:24-31 (1992) |
| A35 | Hoy et al., "Bromodeoxyuridine/DNA Analysis of Replication in CHO Cells after Exposure to UV Light," <i>Mutat. Res.</i> 290:217-230 (1993) |
| A36 | Hsuih et al. Quantitative detection of HCV RNA using novel ligation-dependent polymerase chain reaction, American Association for the Study of Liver Disease (Abstract) (Chicago, IL, November 3-7 1995) |
| A37 | Itakura et al. Synthesis and Use of Synthetic Oligonucleotides. Ann. Rev. Biochem. 53:323-356 (1984) |
| A38 | Jacobsen et al. The N-Terminal Amino-Acid Sequences of DNA Polymerase I from <i>Escherichis coli</i> and of the Large and the Small Fragments Obtained by a Limited Proteolysis. <i>Eur. J. Biochem.</i> 45:623-627 (1974) |
| A39 | Johnstone et al., Immunochemistry In Practice. Blackwell Scientific Publications, Oxford, England 209-216 and 241-242 (1987) |
| A40 | Jung et al. Bacteriphage PRD1 DNA polymerases: Evolution of DNA polymerases. <i>Proc. Natl. Acad. Sci. USA</i> 84:8287-8291 (1987) |
| A41 | Kabanov et al. A new class of antivirals: Antisense oligonucleotides combined with a hydrophobic substituent effectively inhibit influenza virus reproduction and synthesis of virus-specific proteins in MDCK cells. <i>FEBS Lett.</i> 259(2):327-330 (1990) |
| A42 | Kaboord et al. Accessory proteins function as matchmakers in the assembly of the T4 DNA polymerase holoenzyme. Curr. Biol. 5(2):149-157 (1995) |
| A43 | Kalin et al. Evaluation of the ligase chain reaction (LCR) for the detection of point mutations. <i>Mutat. Res.</i> 283(2):119-123 (1992) |
| A44 | Kerhof, "A Comparison of Substrates for Quantifying the Signal from a Nonradiolabeled DNA Probe" Anal. Biochem., 205:359-364 (1992) |
| A45 | Kessler. The digoxigenin:anti-dioxgenin (DIG) technology- a survey on the concept and realization of a novel bioanalytical indicator system. <i>Mol. Cell. Probes</i> 5:161-205 (1991) |
| A46 | Khrapko et al., "Hybridization of DNA with Oligonucleotides Immobilized in Gel: A Convenient Method for Detecting Single Base Substitutions" Mol. Biol. (Mosk), (USSR) 25(3): 581-591 (1991) |
| A47 | King et al. Bridging the Gap. J. Biol. Chem. 269(18):13061-13064 (1994) |
| A48 | Kong t al. Characterization of a DNA Polymerase from the Hyperthermophile Archaea <i>Thermococcus litoralis</i> . <i>J. Biol. Chem.</i> 268(3):1965-1975 (1993) |
| A49 | Kunkel et al. Rapid and Efficient Site-Specific Mutagnesis without Phenotypic Selection. <i>Meth. Enzymol.</i> 154:367-382 (1987) |
| | |

| QE | JCA7 | ì |
|---------|------|---|
| (C) JEH | | |
| PA | TENT | Ι |

| PATENT 3 | |
|----------|--|
| A50 | Landegren. Molecular mechanics of nucleic acid sequence amplification. Trends Genetics 9(6):199-202 (1993) |
| A51 | Langer et al. Enzymatic synthesis of biotin-labeled polynucleotides: Novel nucleic acid affinity probes," <i>Proc. Natl. Acad. Sci. USA</i> 78(11):6633-6637 (1981) |
| A52 | Lawyer et al. High-Level Expression, Purification, and Enzymatic Characterization of Full-Length <i>Thermus Aquaticus</i> DNA Polymerase and a Truncated Form Deficient in 5' to 3' Exonuclease Activity. <i>PCR Meth. Appl.</i> 2(4):275-287 (1993) |
| A53 | Lesnick et al. Relative Thermodynamic Stability of DNA, RNA, and DNA: RNA Hybrid Duplexes: Relationship with Base Composition and Structure. <i>Biochemistry</i> 34:10807-10815 (1995) |
| A54 | Letsinger et al. Cholesteryl-conjugated oligonucleotides: Synthesis, properties, and activity as inhibitors of replication of human immunodeficiency virus in cell culture. <i>Proc. Natl. Acad. Sci.</i> USA 86:6553-6556 (1989) |
| A55 | Lichter et al. High-Resolution Mapping of Human Chromosome 11 by in Situ Hybridization with Cosmid Clones. Science 247:64-69 (1990) |
| A56 | Lizardi et al. Mutation detection and single-molecule counting using isothermal rolling-circle amplification. Nat. Genet. 19(3):225-232 (July 1998) |
| A57 | Manoharan et al. Oligonucleotide Conjugates: Alteration of the Pharmacokinetic Properties of Antisense Agents. Nucleosides & Nucleotides 14:969-973 (1995) |
| A58 | Manoharan et al. Introduction of a Lipophilic Thioether Tether in the Minor Groove of Nucleic Acids for Antisense Applications. <i>Bioorg. Med. Chem.</i> Let. 3:(12)2765-2770 (1993) |
| A59 | Manoharan et al. Chemical Modifications to Improve Uptake and Bioavailability of Antisense Oligonucleotides. Ann. N.Y. Acad. Sci. 660:306-309 (1992) |
| A60 | Manoharan et al. Lipidic Nucleic Acids. Tetra. Lett. 36(21):3651-3654 (1995) |
| A61 | Manoharan et al. Cholic Acid-Oligonucleotide Conjugates for Antisense Applications. <i>Bioorg. Med. Chem. Let.</i> 4(8):1053-1060 (1994) |
| A62 | Matsumoto et al. Primary structure of bacteriphage M2 DNA polymerase: conserved segments within protein-priming DNA polymerases and DNA polymerase I of Escherichia coli. Gene 84:247-255(1989) |
| A63 | McGraw et al. Sequence-Dependent Oligonucleotide-Target Duplex Stabilities: Rule from empirical Studies with a Set of Twenty-Mers. <i>Biotechniques</i> 8:674-678 (1990) |
| A64 | Mishra et al. Improved leishmanicidal effect of phosphorotioate antisense oligonucleotides by LDL-mediated delivery. Biochim. Biophys. Acta. 1264:229-237 (1995) |
| A65 | Mujumdar et al., "Cyanine dye labeling reagents containing isothiocyanate groups," Cytometry, 10:11-19 (1989) |
| A66 | Narang et al. Chemical Synthesis of Deoxioligonucleotides by the Modified Triester Method. <i>Meth. Enzymol.</i> 65:610-620 (1980) |
| A67 | Nielsen et al. Peptide Nucleic Acid (PNA). A DNA Mimic with a Peptide Backbone. Bioconjug. Chem. 5:3-7 (1994) |
| A68 | Nilsson et al. Padlock Probes: Circularizing Oligonucleotides for Localized DNA Detection. Science, 265:2085-2088 (1994) |
| A69 | Oberhauser et al. Effective incorporation of 2'-o-methyl-oligoribonucleotides into liposomes and enhanced cell association through modification with thiocholesterol. <i>Nucl. Acids Res.</i> 20(3):533-538 (1992) |
| A70 | Panasenko et al. A simple, Three-Step procedure for the Large Scale Purification of DNA Ligase from a Hybrid λ Lysogen Constructed in Vitro. J. Biol. Chem. 253(13):4590-4592 (1978) |
| A71 | Pease et al. Light-Generated Oligonucleotide Arrays for Rapid DNA Sequence Analysis. <i>Proc. Natl. Acad. Sci. USA</i> , 91(11):5022-5026 (1994) |
| A72 | Porstmann et al. Quantitation of 5-Bromo-2-Deoxyuridine Incorporation into DNA: an Enzyme Immunoassay for the Assessment of the Lymphoid Cell Proliferative Response. <i>J. Immunol. Meth.</i> 82:169-179 (1985) |
| A73 | Rigler et al. Differences in the Mechanism of Stimulation of T7 DNA Polymerase by Two Binding Modes of Escherichia coli Single -stranded DNA-binding Protein. J. Biol. Chem 270(15):8910-8919 (1995) |



TECH CENTER 1600/2900

| | <u> </u> |
|---------|---|
| MILS. | Rychlik et al. Optimization of the Annealing Temperature for DNA Amplification in vitro. Nucl. Acids Res. 18(21):6409-6412 (1990) |
| A75 | Saison-Behmoaras et al. Short modified antisense oligonucleotides directed against Ha-ras point mutation induce selective cleavage of the mRNA and inhibit T24 cells proliferation. <i>EMBO J.</i> 10(5):1111-1118 (1991) |
| A76 | Sanghvi. Chapter 15, Heterocyclic Base Modifications in Nucleic Acids and Their Applications in Antisense Oligonucleotides, <i>Antisense Res.</i> and Appl. p. 273-301 (1993) |
| A77 | Schenborn et al. A novel transcription property of SP6 and 17 RNA polymerases: dependence on template structure. <i>Nucl. Acids Res.</i> 13(17):6223-6236 (1985) |
| A78 | Seigel et al. A Novel DNA Helicase from Calf Thymus. J. Biol. Chem. 267(19):13629-13635 (1992) |
| A79 | Shea et al. Synthesis, hybridization properties and antiviral activity of lipid-oligodeoxynucleotide conjugates. <i>Nucl. Acids Res.</i> 18(13):3777-3783 (1990) |
| A80 | Skaliter et al. Rolling Circle DNA Replication <i>in vitro</i> by a complex of Herpes Simplex Virus Type 1-encoded Enzymes. <i>Proc. Natl. Acad. Sci. USA</i> 91(22):10665-10669 (1994) |
| A81 | Speicher et al. Karyotyping human chromosomes by combinatorial multi-fluor FISH. Nat. Genet. 12(4):368-375 (1996) |
| A82 | Stimpson et al., "Real-Time Detection of DNA Hybridization and Melting on Oligonucleotide Arrays by Using Optical Wave Guides," <i>Proc Natl. Acad. Sci. USA</i> , 92(14):6379-6383 (1995) |
| A83 | Studier et al. Use of T7 RNA Polymerase to Direct Expression of Cloned Genes. <i>Meth. Enzymol.</i> 185:60-89 (1990) |
| A84 | Svinarchuk et al. Inhibition of HIV proliferation in MT-4 cells by antisense oligonucleotide conjugated to lipophilic groups. Biochimie. 75:49-54 (1993) |
| A85 | Syvänen et al. Fast Quantification of nucleic acid hybrids by affinity-based hybrid collection. <i>Nucl. Acids Res.</i> 14(12):5037-5049 (1986) |
| A86 | Tabor et al. Selective Inactivation of the Exonuclease Activity of Bacteriophage T7 DNA Polymerase by in vitro Mutagenesis. J. Biol. Chem. 264(11):6447-6458 (1989) |
| A87 | Tabor et al. Selective Oxidation of the Exonuclease Domain of Bacteriphase T7 DNA Polymerase. <i>J. Biol. Chem.</i> 262(32):15330-15333 (1987) |
| A88 | Thorbjarnardottir et al. Sequence of the DNA Ligase-encoding Gene from <i>Thermus Scotoductus</i> and conserved motifs in DNA Ligases. <i>Gene</i> 151:177-180 (1994) |
| A89 | Tsurumi et al. Functional Interaction between Epstein-Barr Virus DNA Polymerase Catalytic Subunit and Its Accessory Subunit In Vitro. J. Virol. 67(12):7648-7653 (1993) |
| A90 | Tyagi et al. Molecular Beacons: Probes that Fluoresce Upon Hybridization. Nat. Biotech., 14(3):303-308 (1996) |
| A91 | Waggoner. Covalent Labeling of Proteins and Nucleic Acids with Fluorophores. Meth. Enzymology, 246:362-373 (1995) |
| A92 | Walker et al. Isothermal in vitro amplification of DNA by a restriction enzyme/DNA polymerase system. Proc. Natl. Acad. Sci. USA 89:392-396 (1992) |
| A93 | Walker et al. Strand displacement amplification - an isothermal, in vitro DNA amplification technique. Nucl. Acids Res. 20(7):1691-1696 (1992) |
| A94 | Wansick et al. Flourescent Labeling of Nascent RNA Reveals Transcription by RNA Polymerase II in Domains Scattered Throughout the Nucleus. <i>J. of Cell Biol.</i> 122(2):283-293 (1993) |
| A95 | Wiedmann et al. Ligase Chain Reaction (LCR) - Overview and Applications, <i>PCR Methods and Applications</i> , (Cold Spring Habor Laboratory Press, Cold Spring Harbor Laboratory, NY, 1994), pages S51-S64 |
| A96 | Winn-Deen et al. Non-radioactive detection of <i>Mycobacterium Tuberculosis</i> LCR products in a microtitre plate format. <i>Mol. Cell. Probes (England)</i> 7(3):179-186 (1993) |
| A97 | Young et al. Quantitative Analysis of Solution Hybridisation, Nucleic Acid Hybridisation: A Practical Approach (IRL Press, 1985), Pages 47-71 |
| A98 | Yu et al., "Cyanine dye dUTP analogs for enzymatic labeling of DNA probes," Nucl. Acids Res., 22(15):3226-3232 (1994) |
| | |



ATTORNEY DOCKET NO. 13172.0007U1

JAN SERIAL NO. 09/910,383

JAN SONFIRMATION NO. 2312

Page 5 of 5

TECH CENTER 1600/2900

| | A99 | Zhu et al. Purification and characterization of PRD1 DNA polymerase. Biochim. Biophys. Acta 1219:267-276 (1994) | | |
|--|------|--|--|--|
| | A100 | Zijderveld et al. Helix-Destabilizing Properties of the Adenovirus DNA-Binding Protein. J. Virol. 68(2):1158-1164 (1994) | | |
| EXAMINER: | | DATE CONSIDERED: | | |
| EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | | | |